


For airway control in an emergency situation, there's no compromise.

The GlideScope Ranger Video Laryngoscope consistently provides a clear, real-time view of the airway and tube placement—ideal for EMS, military, and crash cart use.

The Ranger system is based on the GlideScope GVL®, which achieves a Cormack-Lehane Grade I or Grade II view 99 percent of the time.<sup>1</sup>

And GlideScope Ranger was designed to meet military specifications.




Actual airway view

## FEATURES

- ▶ Portable, rugged, and operational in seconds
- ▶ High-resolution camera for real-time view of the airway and tube placement
- ▶ Anti-fogging mechanism resists lens contamination
- ▶ Non-glare color monitor easily visible in bright light
- ▶ Unique blade angulation
- ▶ Reusable and single-use configurations
- ▶ Easy to use, easy to teach
- ▶ Federal Contract No. V797P-4669A
- ▶ Awarded US Army Airworthiness Certification



## A consistently clear, real-time view.



**Applications**

- Pre-hospital (field) airway treatment
- Levels 1, 2, and 3 Military medicine casualty centers
- Trauma airways—excellent when dealing with blood and secretions in the airway
- Challenging airways (DL Grades I–IV)
- Intubation with cervical spine immobilization
- First-use intubations, replacing DL
- Teaching airway anatomy

**System Components**


- 8.9 cm color video monitor in soft-pack case
- Choice of Ranger GVL® 3 or GVL 4
- Integrated, rechargeable lithium battery
- Medical grade recharger operating at 50–60 Hz and 100–250 V
- GlideRite® Rigid Stylet
- User’s Manual and Quick Reference Cards
- 1-year warranty

**Field Specifications**

- Compact size for easy carrying and storage (168 x 173 mm)
- Lightweight for maximum portability (< 0.56 kg)
- Rugged construction
- 90-minute continuous-use battery
- Altitude up to 6100 m
- Temperatures of -20 °C to 50 °C
- Humidity up to 100%

**GlideScope Products and Systems: Designed for 1<sup>st</sup> Pass Success**

	REUSABLE	
Ranger GVL Size	GVL 3	GVL 4
Patient Weight	10 kg - Adult	40 kg - Morbidly Obese
GlideRite Rigid Stylet	<i>For use with endotracheal tubes 6.0 mm and larger.</i>	



Note: System configurations vary.

GlideScope, the GlideScope symbol, GVL, Verathon, and the Verathon Torch symbol are trademarks of Verathon Inc. © 2010 Verathon Inc.

GlideScope® video laryngoscope systems are CE marked in accordance with the Medical Device Directive, and the Verathon Inc. quality system is Quality System Certified to ISO 13485:2003 standards. US Patent No. 6,655,377; 6,543,447; International patents pending. 0900-2133-02-86



**Corporate Headquarters**  
 2001 North Creek Parkway / Bothell, WA 98011  
 425.867.1348 / 800.331.2313 / 425.883.2896 Fax  
 verathon.com